



ELSEVIER

Earth and Planetary Science Letters 122 (1994) 423–424

EPSL

Contents Volume 122

122 (1/2)

Paleomagnetism of latest Anisian (Middle Triassic) sections of the Prezzo Limestone and the Buchenstein Formation, Southern Alps, Italy G. Muttoni and D.V. Kent	1
Upper Cretaceous paleomagnetic data from Shikotan Island, Kuril Arc: Implications for plate kinematics M.L. Bazhenov and V.S. Burtman	19
Paleointensities for 10–22 ka from volcanic rocks in Japan and New Zealand H. Tanaka, A. Otsuka, T. Tachibana and M. Kono	29
Elevated temperature viscous remanent magnetization of natural and synthetic multidomain magnetite P.R. Kelso and S.K. Banerjee	43
Superkimberlites: A geodynamic diamond window to the Earth's core S.E. Haggerty	57
Observations of impact-induced molten metal–silicate partitioning L.R. Rowan and T.J. Ahrens	71
Seismological constraints on the gabbro–eclogite transition in subducted oceanic crust D. Gubbins, A. Barnicoat and J. Cann	89
Heat flow, gravity and structure of the Abitibi belt, Superior Province, Canada: Implications for mantle heat flow L. Guillou, J.-C. Mareschal, C. Jaupart, C. Gariépy, G. Bienfait and R. Lapointe	103
Carbonated, alkaline hybridizing melts from a sub-arc environment: Mantle wedge samples from the Tabar–Lihir–Tanga–Feni arc, Papua New Guinea B.I.A. McInnes and E.M. Cameron	125
Examination of hydrothermal influences on oceanic beryllium using fluids, plume particles and sediments from the TAG hydrothermal field D.L. Bours, E.T. Brown, C.R. German, C.I. Measures, J.M. Edmond, G.M. Raisbeck and F. Yiou	143
Chlorine-36 in groundwater as a palaeoclimatic indicator: the East Midlands Triassic sandstone aquifer (UK) J.N. Andrews, W.M. Edmunds, P.L. Smedley, J.-C. Fontes, L.K. Fifield and G.L. Allan	159
Isotopic evidence for the retention of ⁹⁰ Sr inferred from excess ⁹⁰ Zr in the Oklo natural fission reactors: Implication for geochemical behaviour of fissiogenic Rb, Sr, Cs and Ba H. Hidaka, T. Sugiyama, M. Ebihara and P. Holliger	173
Mineralogy and ³⁹ Ar– ⁴⁰ Ar age of an old pristine basalt: Thermal history of the HED parent body H. Takeda, H. Mori and D.D. Bogard	183
Investigation of spreading center evolution by joint inversion of seafloor magnetic anomaly and tectonic fabric data T. Shoberg and S. Stein	195
Mantle dynamics constrained by degree 6 surface topography, seismic tomography and geoid: Inference on the origin of the South Pacific Superswell A. Cazenave and C. Thoraval	207
A rock-magnetic record from Lake Baikal, Siberia: Evidence for Late Quaternary climate change J.A. Peck, J.W. King, S.M. Colman and V.A. Kravchinsky	221

Express Letter

True polar wander during the middle Paleozoic? R. Van der Voo	239
--	-----

Discussions

Speculations about the cosmic origin of He and Ne in the interior of the Earth	
Comment: F.M. Stuart	245
Reply: C.J. Allègre, Th. Staudacher and Ph. Sarda	249
The volume and residence time of magma beneath active volcanoes determined by decay-series disequilibria methods	
Comment: M. Condomines	251
Reply: D.M. Pyle	257
Did Deccan volcanism pre-date the Cretaceous–Tertiary transition?	
Comment: G. Féraud and V. Courtillot	259
Reply: T.R. Venkatesan, K. Pande and K. Gopalan	263

122 (3/4)

Bubble nucleation in rhyolitic melts: Experiments at high pressure, temperature, and water content	
S. Hurwitz and O. Navon	267
Na, Al ^{IV} and Al ^{VI} in clinopyroxenes of subcontinental and suboceanic ridge peridotites: A clue to different melting processes in the mantle?	
M. Seyler and E. Bonatti	281
Model for the structural evolution of the volcanoes of Réunion Island	
P.-Y. Gillot, J.-C. Lefèvre and P.-E. Nativel	291
Microtektite-like impact glass associated with the Frasnian–Famennian boundary mass extinction	
P. Claeys and J.-G. Casier	303
Measurement of the degree of smoothing in sediment paleomagnetic secular variation records: an example from late Quaternary deep-sea sediments of the Bermuda Rise, western North Atlantic Ocean	
S.P. Lund and L. Keigwin	317
The fold test: an eigen analysis approach	
L. Tauxe and G.S. Watson	331
Evidence for excavation of deep crustal material of a Vesta-like body from Ca compositional gradients in pyroxene	
M. Miyamoto and H. Takeda	343
An inverse method for determining lithospheric strain rate variation on geological timescales	
N. White	351
Reaction kinetics, geospeedometry, and relaxation theory	
Y. Zhang	373
Multipath Ar transport in K-feldspar deduced from isothermal heating experiments	
I.M. Villa	393
Fayalite–silica association in unequilibrated ordinary chondrites: Evidence for aqueous alteration on a parent body	
J.T. Wasson and A.N. Krot	403

Erratum

Paleomagnetic estimate of the emplacement temperature of the long-runout Nevado de Colima volcanic debris avalanche deposit, Mexico. <i>Earth Planet. Sci. Lett.</i> 120, 499–510, 1993	
B.M. Clement, C.B. Connor and G. Draper	417

<i>Author Index Volume 122</i>	419
--	-----

